

Office Phone: 281-764-9500 Fax Number: 281-764-9501

> Khanh Le, MD MA Extension 303

> <u>Ilyas Memon, MD</u> MA Extension 310

> Atif Shahzad, MD MA Extension 304

Randy Chung, MD MA Extension 306

Vincent Nguyen, MD MA Extension 323

PROVIDER FEES

For questions regarding your out-of-pocket fee, we ask that you please contact our Patient Care Advocacy Department at 214-623-6230.

FACILITY & ANESTHESIA FEES

For questions regarding your out-of-pocket fee for the facility and anesthesia, we ask that you please contact the facility directly. Their number is indicated on the label below.

PATHOLOGY FEES

Should our providers collect samples for biopsy, your insurance will be billed for these services. If there is patient responsibility, you will receive a bill from the pathology providers.

RESCHEDULING/CANCELLING

If you need to reschedule your procedure for any reason, we kindly ask that you notify our office ASAP and **no later than 48 hours** prior to your procedure. No shows and cancellations not reported within this time frame are subject to a \$100 cancellation fee. This fee is NOT covered by insurance.

PREPARING FOR YOUR COLONOSCOPY

Your doctor has ordered a colonoscopy, which is a test to examine the inside of the colon and rectum using a flexible tube with a tiny camera and light.

IMPORTANT: To ensure a successful exam, please read and follow ALL instructions on this sheet carefully at least 2 weeks before your procedure. Failure to do so may result in your procedure being postponed or canceled.

YO

YOUR MEDICATIONS		
•	You me	ur doctor has reviewed your medication list and has determined that the following dications will need to be stopped before your procedure to ensure a safe and cessful exam.
		days before procedure, hold
		days before procedure, hold
		days before procedure, hold
•		ess otherwise specified above, you may take your usual morning medications (including od pressure medications) at least 4 hours prior to your procedure with a small amount of ter.
•	If yo	VE DIABETES ou take insulin, take ½ dose the night before your procedure.
•		not take any diabetes medication the morning of your procedure. In may take your medication following your procedure, after you have eaten.
TRANS	POR	TATION
•	You hor You	must arrange for an adult family member, friend, or medical transport to drive you me after the colonoscopy, as you will still be drowsy from sedation and unsafe to drive. It will not be allowed to use any form of public transportation following your procedure, ich includes Taxi, Ride-share service, like Uber or Lyft.
BOWE	L PRI	<u>EPARATION</u>
•	Before your colonoscopy, you must complete a bowel preparation with laxative medications to clear your colon of stool so that your doctor can clearly see your colon.	
		STEP 1: Please purchase one box of Dulcolax laxative tablets (or generic bisacodyl) over the counter at your local pharmacy.
		Dulce lax Cente, dependable consipation roller TAMITI
		STEP 2: A prescription for your bowel prep kit has been sent to <u>GI Alliance Pharmacy-Houston</u> . The pharmacy will contact you 1 week prior to your procedure to discuss your prescription and delivery options. If you have not received a call, please contact GI Alliance Pharmacy-Houston at <u>713-730-2947</u> .
	OR	
		A prescription for your bowel prep has been sent to your <u>local pharmacy</u> on file. We recommend that you fill your prescription at least a week before your procedure.
LOCAT		
•	for	e facility will contact you ONE Business Day prior to your procedure for your procedure pre-admission information and time of arrival. Ur procedure will be done at the following facility:
	Date:	
		(Place Facility Label Here)

Time: Will be provided by the facility



Office Phone: 281-764-9500 Fax Number: 281-764-9501

> Khanh Le, MD MA Extension 303

<u>Ilyas Memon, MD</u> MA Extension 310

Atif Shahzad, MD MA Extension 304

Randy Chung, MD MA Extension 306

Vincent Nguyen, MD MA Extension 323

WHAT TO EXPECT

- You will develop significant diarrhea after drinking the preparation. Plan to be near a bathroom. This is normal as it means the medication is working to clear stool from your colon.
- Most people feel mild bloating and abdominal cramps. This is also normal. Drinking the prep medication more slowly and over a longer period of time may help.
- A successful colon prep will cause you to have clear yellow ("teacolored") liquid stools.
- Please finish your prep regardless of your stool color

COLONOSCOPY PREP INSTRUCTIONS - CLENPIQ

IMPORTANT: DO NOT follow the instructions on the bowel prep box, and instead, FOLLOW OUR INDICATED PREP TIMES BELOW.

☐ 3 DAYS BEFORE COLONOSCOPY

- Stop taking any iron or fiber supplements (ie Metamucil, Benefiber, Citrucel).
- Stop eating any raw fruits, raw vegetables (salads), whole grain products, seeds, nuts, corn, peppers, beans or popcorn.

□ 1 DAY BEFORE COLONOSCOPY

- **DO NOT EAT SOLID FOOD FROM NOW UNTIL YOUR COLONOSCOPY IS DONE**
- Starting at breakfast, you must drink ONLY clear liquids ALL DAY. A clear liquid is one that
 you can read a newspaper through:
 - Water / Mineral Water
 - Clear fruit juices without pulp (apple, white cranberry, white grape, lemonade)
 - Clear carbonated and non-carbonated soft drinks or sports drinks (no red or purple)
 - o Coffee or Tea (no cream or milk)
 - Beef/chicken/vegetable/bone broth
 - o Popsicles/Icee/Slush (no red or purple)
 - o Jell-O (no red or purple)
 - o No milk products

• <u>12 PM</u>

o Take 2 Dulcolax tabs. If constipated, take 4 Dulcolax tabs.

• 6 PM - TAKE DOSE 1

- o Step 1: Drink the first bottle of Clenpiq.
- o Step 2: Drink at least five 8-oz cups of water over the next 5 hours.



Drink 40 oz (5 cups) of clear liquids. Finish liquids over the next 5 hours.

□ DAY OF COLONOSCOPY

- 6 HOURS BEFORE YOUR PROCEDURE TIME TAKE DOSE 2
 - o Step 1: Drink the second bottle of Clenpiq.
 - o Step 2: Drink at least three 8-oz glasses of water over the next 2 hours.



Drink at least 24 oz (3 cups) of clear liquids.

**YOU MUST STOP DRINKING ALL FLUIDS (INCLUDING WATER)
4 HOURS BEFORE YOUR PROCEDURE**